

poultry



Slaughtered under Federal Inspection
and Poultry Used in Further Processing
September 1972

Release:
November 3, 1972
3:00 P.M. EST

Inspected Poultry - There were 1,263 million pounds live weight (chickens, turkeys, and ducks) inspected for slaughter during September 1972 under the Poultry Inspection Act carried on by the United States Department of Agriculture. This is 12 percent less than the previous month but about same as in September 1971.

The number of head and pounds live weight inspected by classes were: young chickens - 238,875,000 head, 888,585,000 pounds; mature chickens - 13,153,000 head, 61,064,000 pounds; fryer-roaster turkeys - 964,000 head, 8,762,000 pounds; young turkeys - 14,847,000 head, 296,994,000 pounds; old turkeys - 47,000 head, 875,000 pounds, and ducks - 1,082,000 head, 6,875,000 pounds.

Poultry Certified Wholesome in September totaled 921,255,000 pounds ready-to-cook weight of which 655,028,000 pounds were chilled and 266,227,000 pounds frozen. Pounds certified by class of poultry were: young chickens, 636,052,000; mature chickens, 38,383,000; fryer-roaster turkeys, 6,753,000; young turkeys, 234,265,000; old turkeys, 679,000; ducks, 4,855,000; and other poultry, 268,000.

Further Processed - Poultry inspected and used for further processing totaled 145,253,000 pounds ready-to-cook weight, compared with 134,562,000 pounds in September 1971. The September 1972 total consisted of 35,668,000 pounds young chickens, 31,960,000 mature chickens, 70,164,000 turkeys, and 7,461,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 224,766,000 pounds ready-to-cook weight, compared with 203,050,000 pounds in September 1971. The breakdown by class was: young chickens, 195,235,000; mature chickens, 116,000; turkeys, 29,305,000; and other poultry, 110,000 pounds.

Ante-Mortem Condemnations during September were 6,518,000 pounds live weight. Condemnations by class as percent of quantities inspected were: young chickens, 0.57; mature chickens, 1.05; fryer-roaster turkeys, 0.25; young turkeys, 0.25; old turkeys, 0.64; and ducks, 0.05.

Post-Mortem Condemnations in September were 32,262,000 pounds (NYD weight). Condemnations by class as percent of quantities inspected were: young chickens, 2.77; mature chickens, 5.97; fryer-roaster turkeys, 1.96; young turkeys, 2.47; old turkeys, 4.81; and ducks, 2.41 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, SEPTEMBER 1972 WITH COMPARISONS

| NUMBER INSPECTED 3/ | : YOUNG : | | : MATURE : | | : TOTAL : | | : FRYER- : | | : YOUNG : | | : OLD : | | : TOTAL : | | : OTHER : | | | |
|-----------------------|--------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------|-------------|--|
| | : CHICKENS : | : TURKEYS : | : CHICKENS : | : TURKEYS : | : CHICKENS : | : TURKEYS : | : ROASTERS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : DUCKS : | : POULTRY : | : POULTRY : | |
| AUGUST 1972 | 278,819 | 15,197 | 294,016 | 1,003 | 16,199 | 119 | 17,321 | 1,300 | | | | | | | | | | |
| SEPTEMBER 1971 | 239,038 | 16,386 | 255,424 | 921 | 14,771 | 47 | 15,739 | 1,200 | | | | | | | | | | |
| SEPTEMBER 1972 | 238,875 | 13,153 | 252,028 | 964 | 14,847 | 47 | 15,858 | 1,082 | | | | | | | | | | |
| JAN.-SEPT., 1971 | 2,107,652 | 137,992 | 2,245,644 | 8,932 | 60,813 | 1,103 | 70,848 | 8,541 | | | | | | | | | | |
| JAN.-SEPT., 1972 | 2,235,621 | 139,562 | 2,375,183 | 9,459 | 66,973 | 998 | 77,430 | 8,463 | | | | | | | | | | |
| POUNDS INSPECTED 4/ | | | | | | | | | | | | | | | | | | |
| AUGUST 1972 | 1,030,457 | 68,274 | 1,098,731 | 8,899 | 310,168 | 2,169 | 321,236 | 8,159 | | | | | | | | | | |
| SEPTEMBER 1971 | 878,832 | 73,909 | 952,741 | 8,303 | 290,151 | 824 | 299,278 | 7,442 | | | | | | | | | | |
| SEPTEMBER 1972 | 888,585 | 61,064 | 949,649 | 9,762 | 296,994 | 875 | 306,631 | 6,875 | | | | | | | | | | |
| JAN.-SEPT., 1971 | 7,699,945 | 623,382 | 8,323,327 | 81,099 | 1,163,730 | 21,627 | 1,266,456 | 53,610 | | | | | | | | | | |
| JAN.-SEPT., 1972 | 8,302,755 | 623,291 | 8,926,046 | 85,956 | 1,288,592 | 19,765 | 1,394,313 | 53,885 | | | | | | | | | | |
| AVERAGE LIVWEIGHTS 5/ | | | | | | | | | | | | | | | | | | |
| AUGUST 1972 | 3.70 | 4.49 | 3.74 | 8.88 | 19.15 | 18.25 | 18.55 | 6.28 | | | | | | | | | | |
| SEPTEMBER 1971 | 3.68 | 4.51 | 3.73 | 9.01 | 19.64 | 17.59 | 19.02 | 6.20 | | | | | | | | | | |
| SEPTEMBER 1972 | 3.72 | 4.64 | 3.77 | 9.09 | 20.00 | 18.65 | 19.34 | 6.35 | | | | | | | | | | |
| JAN.-SEPT., 1971 | 3.65 | 4.52 | 3.71 | 9.08 | 19.14 | 19.62 | 17.88 | 6.28 | | | | | | | | | | |
| JAN.-SEPT., 1972 | 3.71 | 4.47 | 3.76 | 9.09 | 19.24 | 19.81 | 18.01 | 6.37 | | | | | | | | | | |

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

AUGUST 1972, 2,623; SEPTEMBER 1971, 3,006; AND SEPTEMBER 1972, 2,847.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

AUGUST 1972, 161; SEPTEMBER 1971, 55; AND SEPTEMBER 1972, 78.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), SEPTEMBER 1972 WITH COMPARISONS 1/

| AUGUST 1972 | : YOUNG : | | : MATURE : | | : TOTAL : | | : FRYER- : | | : YOUNG : | | : OLD : | | : TOTAL : | | : OTHER : | | | |
|------------------------|--------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------|-------------|--|
| | : CHICKENS : | : TURKEYS : | : CHICKENS : | : TURKEYS : | : CHICKENS : | : TURKEYS : | : ROASTERS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : DUCKS : | : POULTRY : | : POULTRY : | |
| CHILLED | 679,435 | 34,370 | 713,805 | 1,912 | 40,818 | 192 | 42,922 | 167 | | | | | | | | | | |
| FROZEN | 59,115 | 8,204 | 67,319 | 4,954 | 205,245 | 1,527 | 211,726 | 5,593 | | | | | | | | | | |
| TOTAL | 738,550 | 42,574 | 781,124 | 6,866 | 246,063 | 1,719 | 254,648 | 5,760 | | | | | | | | | | |
| SEPTEMBER 1971 | 572,471 | 37,111 | 609,582 | 1,148 | 38,089 | 36 | 39,273 | 175 | | | | | | | | | | |
| CHILLED | 58,399 | 10,107 | 68,506 | 5,261 | 190,679 | 610 | 196,550 | 232 | | | | | | | | | | |
| FROZEN | 630,870 | 47,218 | 678,088 | 6,409 | 228,768 | 646 | 235,823 | 5,077 | | | | | | | | | | |
| TOTAL | 580,768 | 31,908 | 612,676 | 1,685 | 40,411 | 58 | 42,154 | 46 | | | | | | | | | | |
| SEPTEMBER 1972 | 55,284 | 6,475 | 61,759 | 5,068 | 193,854 | 621 | 199,543 | 222 | | | | | | | | | | |
| CHILLED | 636,052 | 38,383 | 674,435 | 6,753 | 234,265 | 679 | 241,697 | 268 | | | | | | | | | | |
| FROZEN | 4,993,527 | 309,441 | 5,302,968 | 14,391 | 156,928 | 3,165 | 174,484 | 348 | | | | | | | | | | |
| TOTAL | 486,141 | 86,752 | 572,893 | 48,273 | 760,123 | 13,746 | 822,142 | 1,238 | | | | | | | | | | |
| JANUARY-SEPTEMBER 1971 | 5,479,668 | 396,193 | 5,875,861 | 62,664 | 917,051 | 16,911 | 996,626 | 38,133 | | | | | | | | | | |
| CHILLED | 5,431,322 | 316,220 | 5,747,542 | 15,417 | 199,279 | 3,465 | 218,161 | 337 | | | | | | | | | | |
| FROZEN | 496,862 | 74,474 | 571,336 | 51,028 | 818,675 | 11,932 | 881,635 | 36,929 | | | | | | | | | | |
| TOTAL | 5,928,184 | 390,694 | 6,318,878 | 66,445 | 1,017,954 | 15,397 | 1,099,796 | 38,476 | | | | | | | | | | |

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, SEPTEMBER 1972 WITH COMPARISONS 3/

| | YOUNG : CHICKENS | MATURE : CHICKENS | TOTAL : CHICKENS | FRYER- : ROASTERS | YOUNG : TURKEYS | OLD : TURKEYS | TOTAL : TURKEYS | DUCKS | OTHER : POULTRY |
|----------------------------|------------------|-------------------|------------------|-------------------|-----------------|---------------|-----------------|-------|-----------------|
| ANTE-MORTEM | | | | | | | | | |
| 1,000 POUNDS (LIVEWEIGHT): | | | | | | | | | |
| SEPTEMBER 1971: | 3,637 | 622 | 4,259 | 22 | 741 | 2 | 765 | 5 | 2 5,031 |
| SEPTEMBER 1972: | 5,080 | 647 | 5,727 | 22 | 758 | 6 | 786 | 4 | 1 6,518 |
| JAN.-SEPT. 1971: | 32,515 | 5,602 | 38,117 | 162 | 2,681 | 68 | 2,911 | 28 | 8 41,064 |
| JAN.-SEPT. 1972: | 39,047 | 6,577 | 45,624 | 181 | 3,108 | 90 | 3,379 | 26 | 9 49,038 |
| PERCENT 1/ | | | | | | | | | |
| SEPTEMBER 1971: | .41 | .84 | .44 | .26 | .25 | .28 | .25 | .06 | .42 .39 |
| SEPTEMBER 1972: | .57 | 1.05 | .60 | .25 | .25 | .64 | .25 | .05 | .26 .51 |
| POST-MORTEM | | | | | | | | | |
| 1,000 LBS. (N.Y. DRESSED): | | | | | | | | | |
| SEPTEMBER 1971: | 22,962 | 3,815 | 26,777 | 138 | 7,066 | 20 | 7,224 | 133 | 5 34,138 |
| SEPTEMBER 1972: | 22,081 | 3,242 | 25,323 | 154 | 6,590 | 38 | 6,782 | 150 | 7 32,262 |
| JAN.-SEPT. 1971: | 261,203 | 31,345 | 292,548 | 1,494 | 28,524 | 841 | 30,849 | 848 | 31 324,277 |
| JAN.-SEPT. 1972: | 232,161 | 31,413 | 263,574 | 1,564 | 29,111 | 852 | 31,527 | 842 | 44 295,987 |
| PERCENT 2/ | | | | | | | | | |
| SEPTEMBER 1971: | 2.91 | 5.78 | 3.13 | 1.84 | 2.71 | 2.76 | 2.68 | 1.99 | 1.07 3.02 |
| SEPTEMBER 1972: | 2.77 | 5.97 | 2.98 | 1.96 | 2.47 | 4.81 | 2.46 | 2.41 | 1.73 2.85 |

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, SEPTEMBER 1972 WITH COMPARISONS

| | YOUNG CHICKENS | MATURE CHICKENS | TURKEYS | OTHER POULTRY 1/ | TOTAL POULTRY | | | | |
|---|----------------|-----------------|---------|------------------|---------------|--------|-------|-----------|-----------|
| POUNDS USED READY-TO-COOK WEIGHT 2/ | | | | | | | | | |
| AUGUST 1972 : | 38,583 | 215,612 | 114 | 74,196 | 32,386 | 7,716 | 95 | 158,505 | 248,207 |
| SEPTEMBER 1971 : | 33,972 | 181,444 | 211 | 60,641 | 21,110 | 6,361 | 285 | 134,562 | 203,050 |
| SEPTEMBER 1972 : | 35,668 | 195,235 | 116 | 70,164 | 29,305 | 7,461 | 110 | 145,253 | 224,766 |
| JANUARY-SEPTEMBER 1971 : | 284,049 | 1,535,270 | 3,735 | 395,287 | 136,416 | 61,802 | 2,596 | 1,066,825 | 1,678,017 |
| JANUARY-SEPTEMBER 1972 : | 323,929 | 1,723,914 | 4,248 | 447,165 | 208,230 | 69,394 | 2,110 | 1,198,585 | 1,938,502 |
| LBS. CONDEMNED READY-TO-COOK WEIGHT 2/: | | | | | | | | | |
| AUGUST 1972 : | 787 | 1,614 | 65 | 12 | 108 | 112 | 31 | 991 | 1,741 |
| SEPTEMBER 1971 : | 457 | 1,312 | 97 | -- | 46 | 252 | 22 | 622 | 1,566 |
| SEPTEMBER 1972 : | 574 | 1,390 | 35 | 6 | 145 | 86 | 15 | 769 | 1,484 |
| JANUARY-SEPTEMBER 1971 : | 3,314 | 10,988 | 455 | 18 | 356 | 1,384 | 243 | 4,368 | 12,413 |
| JANUARY-SEPTEMBER 1972 : | 6,351 | 14,698 | 750 | 63 | 640 | 583 | 168 | 7,909 | 15,373 |

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1971 AND 1972

| REGION AND STATE | NUMBER | | POUNDS | | AVERAGE | | TOTAL POUNDS | | POST-MORTEM CONDEMNATIONS | |
|------------------|-------------|-----------|----------------|-----------|-----------|-----------|----------------|-----------|---------------------------|--------|
| | INSPECTED | INSPECTED | INSPECTED | INSPECTED | LIVWEIGHT | INSPECTED | CERTIFIED | INSPECTED | PERCENT 2/ | |
| | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 |
| | -THOUSANDS- | | -1,000 POUNDS- | | -POUNDS- | | -1,000 POUNDS- | | -PERCENT- | |
| N. ATLANTIC | 13,603 | 12,079 | 55,950 | 52,015 | 4.11 | 4.31 | 40,076 | 37,059 | 1,959 | 1,586 |
| E. N. CENTRAL | 2,823 | 2,497 | 11,150 | 9,879 | 3.95 | 3.96 | 8,114 | 7,194 | 242 | 200 |
| W. N. CENTRAL | 7,669 | 7,416 | 28,769 | 28,858 | 3.75 | 3.89 | 20,711 | 20,639 | 756 | 697 |
| S. ATLANTIC | 95,262 | 93,420 | 355,775 | 354,277 | 3.73 | 3.79 | 256,071 | 254,216 | 9,518 | 8,548 |
| S. CENTRAL | 114,602 | 116,172 | 408,198 | 414,912 | 3.56 | 3.57 | 292,368 | 296,211 | 10,009 | 10,346 |
| WEST | 5,079 | 7,291 | 18,990 | 28,644 | 3.74 | 3.93 | 13,530 | 20,733 | 478 | 704 |
| U. S. | 239,038 | 238,875 | 878,832 | 888,585 | 3.68 | 3.72 | 630,870 | 636,052 | 22,962 | 22,081 |
| MAINE | 5,892 | 5,683 | 24,951 | 25,087 | 4.23 | 4.41 | 18,353 | 18,237 | 545 | 711 |
| PENNSYLVANIA | 7,185 | 6,065 | 28,709 | 25,358 | 4.00 | 4.18 | 20,210 | 17,804 | 1,342 | 829 |
| OHIO | 249 | --- | 976 | --- | 3.91 | --- | 711 | --- | 19 | --- |
| INDIANA | 1,270 | 1,232 | 4,700 | 4,583 | 3.70 | 3.72 | 3,476 | 3,389 | 80 | 59 |
| WISCONSIN | 1,291 | 1,050 | 5,402 | 4,449 | 4.19 | 4.24 | 3,925 | 3,207 | 143 | 125 |
| MINNESOTA | 844 | 863 | 3,588 | 4,032 | 4.25 | 4.67 | 2,689 | 3,031 | 85 | 73 |
| MISSOURI | 6,005 | 5,409 | 21,894 | 20,337 | 3.65 | 3.76 | 15,699 | 14,401 | 552 | 492 |
| DELAWARE | 7,687 | 7,706 | 30,498 | 30,362 | 3.97 | 3.94 | 21,681 | 21,679 | 822 | 791 |
| MARYLAND | 11,634 | 11,700 | 44,980 | 45,597 | 3.87 | 3.90 | 32,421 | 32,645 | 1,358 | 1,119 |
| VIRGINIA | 10,015 | 9,986 | 37,302 | 36,862 | 3.72 | 3.69 | 26,427 | 26,368 | 1,010 | 733 |
| NORTH CAROLINA | 23,754 | 23,449 | 91,259 | 93,072 | 3.84 | 3.97 | 65,596 | 66,515 | 2,283 | 2,198 |
| SOUTH CAROLINA | 2,954 | 3,561 | 10,032 | 12,584 | 3.40 | 3.53 | 7,105 | 8,855 | 268 | 306 |
| GEORGIA | 34,185 | 32,117 | 123,425 | 117,876 | 3.61 | 3.67 | 89,660 | 85,209 | 3,344 | 3,036 |
| TENNESSEE | 6,000 | 6,144 | 21,721 | 20,805 | 3.62 | 3.39 | 15,656 | 14,938 | 636 | 518 |
| ALABAMA | 32,003 | 32,529 | 113,908 | 116,081 | 3.56 | 3.57 | 81,206 | 83,810 | 3,066 | 2,529 |
| MISSISSIPPI | 20,708 | 20,725 | 75,282 | 75,269 | 3.64 | 3.63 | 54,290 | 54,232 | 1,743 | 1,760 |
| ARKANSAS | 31,904 | 33,277 | 110,124 | 117,268 | 3.45 | 3.52 | 78,378 | 82,438 | 2,464 | 3,019 |
| LOUISIANA | 4,343 | 4,079 | 15,820 | 15,118 | 3.64 | 3.71 | 11,437 | 10,828 | 376 | 391 |
| TEXAS | 15,663 | 14,935 | 57,264 | 54,439 | 3.66 | 3.65 | 41,310 | 38,551 | 1,446 | 1,716 |
| CALIFORNIA | 2,420 | 5,551 | 9,392 | 21,995 | 3.88 | 3.96 | 6,766 | 16,012 | 249 | 579 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1972

| REGION AND STATE | TUBER- :CULOSIS: | LEU- KOSIS | SEPTI- :CEMIA | AIRSAC- :CULITIS | SYNO- :VITIS | TUMORS | BRUISES | CADAVER | INMATION: | OVER- :SCALD | OTHER | TOTAL |
|------------------|---------------------|---------------|------------------|---------------------|-----------------|--------|---------|---------|-----------|-----------------|---------|-----------|
| | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. |
| N. ATLANTIC | --- | 113,581 | 76,060 | 28,072 | 435 | 1,145 | 4,857 | 10,765 | 24,560 | 3,892 | 9,119 | 272,486 |
| E. N. CENTRAL | --- | 8,146 | 18,029 | 1,817 | 926 | 235 | 2,231 | 1,457 | 5,206 | 1,203 | 1,755 | 41,005 |
| W. N. CENTRAL | --- | 34,581 | 37,237 | 42,100 | 4,371 | 790 | 3,538 | 4,303 | 13,259 | 1,919 | 14,901 | 156,999 |
| S. ATLANTIC | --- | 680,792 | 323,186 | 151,161 | 23,372 | 6,923 | 43,235 | 68,374 | 276,910 | 30,957 | 163,649 | 1,768,559 |
| S. CENTRAL | --- | 541,901 | 538,449 | 230,202 | 51,457 | 15,225 | 74,264 | 127,551 | 316,121 | 37,455 | 154,965 | 2,087,590 |
| WEST | --- | 30,918 | 28,747 | 7,612 | 1,647 | 1,031 | 2,142 | 5,957 | 4,166 | 637 | 9,058 | 91,915 |
| U. S. | --- | 1,409,919 | 1,021,708 | 460,964 | 82,208 | 25,349 | 130,267 | 218,407 | 640,222 | 76,063 | 353,447 | 4,418,554 |
| MAINE | --- | 56,333 | 39,771 | 2,028 | 232 | 400 | 1,882 | 4,019 | 6,257 | 1,029 | 2,330 | 114,281 |
| PENNSYLVANIA | --- | 56,119 | 33,368 | 25,851 | 167 | 577 | 2,788 | 6,581 | 16,802 | 2,806 | 5,985 | 151,044 |
| INDIANA | --- | 2,608 | 5,288 | 232 | 54 | 37 | 943 | 485 | 1,279 | 289 | 314 | 11,429 |
| WISCONSIN | --- | 5,208 | 11,966 | 1,448 | 854 | 115 | 1,172 | 748 | 3,054 | 914 | 807 | 26,286 |
| MINNESOTA | --- | 2,929 | 4,970 | 293 | 96 | 111 | 351 | 240 | 2,256 | 163 | 3,839 | 15,248 |
| MISSOURI | --- | 25,737 | 27,731 | 33,879 | 2,829 | 338 | 2,894 | 3,364 | 7,396 | 1,683 | 2,134 | 107,985 |
| DELAWARE | --- | 100,853 | 19,615 | 11,425 | 776 | 239 | 1,587 | 5,237 | 11,829 | 2,407 | 3,948 | 157,916 |
| MARYLAND | --- | 152,208 | 42,601 | 22,968 | 893 | 550 | 3,061 | 7,331 | 21,940 | 6,588 | 3,732 | 261,872 |
| VIRGINIA | --- | 103,327 | 37,344 | 23,400 | 484 | 308 | 2,588 | 4,054 | 10,198 | 3,106 | 4,007 | 188,816 |
| NORTH CAROLINA | --- | 144,389 | 82,664 | 34,210 | 6,993 | 2,412 | 15,267 | 19,348 | 76,261 | 5,795 | 45,728 | 433,067 |
| SOUTH CAROLINA | --- | 13,389 | 11,713 | 10,618 | 1,172 | 327 | 3,581 | 3,781 | 7,207 | 1,187 | 7,925 | 60,900 |
| GEORGIA | --- | 136,895 | 110,481 | 44,172 | 12,003 | 2,888 | 15,192 | 24,939 | 132,973 | 10,691 | 88,969 | 579,203 |
| TENNESSEE | --- | 46,005 | 31,946 | 3,969 | 1,703 | 277 | 2,933 | 5,514 | 22,142 | 1,094 | 8,560 | 124,143 |
| ALABAMA | --- | 109,078 | 130,093 | 32,960 | 9,014 | 5,328 | 17,283 | 29,883 | 98,461 | 9,554 | 39,535 | 481,189 |
| MISSISSIPPI | --- | 88,121 | 48,245 | 44,965 | 6,234 | 3,066 | 9,163 | 14,035 | 53,013 | 4,193 | 43,107 | 314,142 |
| ARKANSAS | --- | 125,109 | 183,752 | 126,590 | 21,756 | 3,998 | 21,074 | 42,073 | 76,239 | 8,722 | 32,495 | 641,808 |
| LOUISIANA | --- | 18,401 | 24,990 | 1,068 | 853 | 663 | 4,347 | 3,360 | 14,554 | 536 | 1,532 | 70,304 |
| TEXAS | --- | 113,836 | 95,058 | 12,907 | 10,935 | 1,738 | 15,664 | 21,859 | 42,292 | 9,104 | 23,301 | 346,694 |
| CALIFORNIA | --- | 27,482 | 21,564 | 6,876 | 1,180 | 951 | 1,202 | 1,896 | 2,904 | 538 | 5,830 | 70,423 |

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1971 AND 1972

| REGION AND STATE | NUMBER INSPECTED | | POUNDS INSPECTED | | AVERAGE WEIGHT | | TOTAL POUNDS CERTIFIED | | POST-MORTEM CONDEMNATIONS | | |
|-------------------|------------------|--------|------------------|--------|----------------|------|------------------------|--------|---------------------------|------------|------|
| | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | |
| | - THOUSANDS- | | - POUNDS- | | - POUNDS- | | - 1,000 POUNDS- | | - 1,000 POUNDS- | - PERCENT- | |
| N. ATLANTIC | 2,081 | 1,652 | 10,230 | 8,275 | 4.92 | 5.01 | 6,820 | 5,382 | 511 | 394 | 5.59 |
| E. N. CENTRAL | 1,873 | 1,870 | 7,467 | 7,355 | 3.99 | 3.93 | 4,540 | 4,412 | 325 | 344 | 4.87 |
| W. N. CENTRAL | 4,496 | 3,626 | 19,221 | 15,778 | 4.28 | 4.35 | 11,987 | 9,722 | 1,071 | 856 | 6.12 |
| S. ATLANTIC | 3,707 | 3,027 | 17,446 | 14,572 | 4.71 | 4.81 | 11,367 | 9,189 | 834 | 760 | 5.87 |
| S. CENTRAL | 2,521 | 2,114 | 12,827 | 11,346 | 5.09 | 5.37 | 8,404 | 7,365 | 705 | 721 | 7.12 |
| WEST | 1,708 | 664 | 6,718 | 3,738 | 3.93 | 4.33 | 4,100 | 2,313 | 369 | 167 | 5.00 |
| U. S. | 16,386 | 13,153 | 73,909 | 61,064 | 4.51 | 4.64 | 47,218 | 38,383 | 3,815 | 3,242 | 5.78 |
| MAINE | 286 | 166 | 1,839 | 1,020 | 6.43 | 6.16 | 1,283 | 722 | 62 | 42 | 3.77 |
| NEW JERSEY | 1,153 | 854 | 4,766 | 3,614 | 4.13 | 4.23 | 2,974 | 2,200 | 295 | 220 | 6.94 |
| PENNSYLVANIA | 78 | 62 | 577 | 451 | 7.38 | 7.30 | 408 | 320 | 12 | 8 | 2.27 |
| OHIO | 316 | 272 | 1,266 | 1,153 | 4.01 | 4.24 | 756 | 696 | 57 | 59 | 5.02 |
| INDIANA | 667 | 611 | 2,584 | 2,349 | 3.88 | 3.85 | 1,599 | 1,466 | 80 | 101 | 3.46 |
| MINNESOTA | 1,809 | 1,496 | 6,683 | 5,572 | 3.69 | 3.72 | 4,056 | 3,335 | 423 | 337 | 7.10 |
| MISSOURI | 1,291 | 1,003 | 7,498 | 5,971 | 5.81 | 5.95 | 5,027 | 4,007 | 321 | 250 | 4.81 |
| MARYLAND | 620 | 465 | 2,961 | 2,289 | 4.78 | 4.92 | 1,875 | 1,474 | 133 | 122 | 5.06 |
| VIRGINIA | 19 | 48 | 129 | 336 | 6.85 | 7.00 | 87 | 231 | 6 | 15 | 5.35 |
| NORTH CAROLINA/3/ | 55 | --- | 384 | --- | 6.94 | --- | 265 | --- | 13 | --- | 3.76 |
| GEORGIA | 2,636 | 2,215 | 12,356 | 10,493 | 4.69 | 4.74 | 8,139 | 6,569 | 581 | 547 | 5.26 |
| ALABAMA | 84 | 34 | 555 | 248 | 6.60 | 7.28 | 364 | 169 | 23 | 11 | 4.70 |
| MISSISSIPPI | 1,541 | 1,350 | 7,553 | 7,693 | 4.90 | 5.70 | 4,888 | 5,052 | 443 | 493 | 6.57 |
| ARKANSAS | 314 | 82 | 1,937 | 602 | 6.16 | 7.38 | 1,327 | 409 | 92 | 30 | 5.32 |
| TEXAS | 432 | 328 | 1,912 | 1,529 | 4.43 | 4.66 | 1,228 | 990 | 117 | 77 | 6.79 |
| WASHINGTON | 93 | 103 | 379 | 415 | 4.09 | 4.05 | 255 | 276 | 14 | 18 | 4.15 |
| CALIFORNIA | 1,406 | 668 | 5,442 | 2,903 | 3.87 | 4.35 | 3,252 | 1,768 | 313 | 134 | 6.45 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1972

| REGION AND STATE | :TUBER- : :CULOSIS: | LEU- : KOSIS : | SEPTI- : CEMIA : | AIRSAC- : CULITIS : | SYNO- : VITIS : | TUMORS : NO. | BRUISES : NO. | CADAVER : NO. | CONTAM- : INATION: | OVER- : SCALD : | OTHER : NO. | TOTAL : NO. |
|------------------|------------------------|-------------------|---------------------|------------------------|--------------------|-----------------|------------------|------------------|-----------------------|--------------------|----------------|----------------|
| N. ATLANTIC | --- | 1,704 | 28,485 | 42 | 407 | 17,171 | 3,640 | 1,135 | 5,685 | 60 | 11,628 | 69,957 |
| E. N. CENTRAL | 586 | 6,616 | 31,146 | 262 | 6 | 18,119 | 4,157 | 2,573 | 20,496 | 1,255 | 8,762 | 93,978 |
| W. N. CENTRAL | 8,623 | 11,937 | 73,056 | 2,569 | 401 | 73,006 | 9,198 | 6,814 | 14,126 | 1,071 | 18,432 | 219,233 |
| S. ATLANTIC | --- | 2,885 | 42,318 | 860 | 200 | 26,585 | 4,059 | 5,340 | 38,487 | 518 | 13,804 | 135,062 |
| S. CENTRAL | --- | 3,024 | 34,032 | 260 | 413 | 21,386 | 7,360 | 2,987 | 24,066 | 451 | 19,592 | 113,571 |
| WEST | 75 | 635 | 20,429 | 24 | 62 | 14,011 | 820 | 510 | 2,199 | 137 | 4,499 | 43,401 |
| U. S. | 9,290 | 26,801 | 229,466 | 4,017 | 1,489 | 170,278 | 29,234 | 19,359 | 105,059 | 3,492 | 76,717 | 675,202 |
| MAINE | --- | 240 | 2,716 | 2 | 87 | 942 | 249 | 86 | 867 | 23 | 76 | 5,288 |
| NEW JERSEY | --- | 1,007 | 18,846 | --- | 55 | 11,753 | 2,310 | 449 | 2,446 | 11 | 11,071 | 47,948 |
| PENNSYLVANIA | --- | 168 | 623 | 16 | --- | 125 | 33 | 76 | 115 | --- | 5 | 1,161 |
| OHIO | 103 | 2,692 | 3,295 | 3 | --- | 1,127 | 1,019 | 198 | 2,064 | 21 | 1,246 | 11,768 |
| INDIANA | 40 | 1,069 | 12,311 | --- | --- | 6,920 | 539 | 901 | 7,523 | 7 | 4,954 | 34,264 |
| MINNESOTA | 4,874 | 7,063 | 21,501 | 946 | 100 | 39,129 | 3,320 | 2,143 | 5,777 | 190 | 13,396 | 98,439 |
| MISSOURI | 45 | 1,098 | 23,522 | 387 | 276 | 7,312 | 1,157 | 1,898 | 3,046 | 300 | 1,214 | 40,255 |
| MARYLAND | 6 | 1,035 | 3,723 | 538 | 56 | 4,797 | 414 | 438 | 13,273 | 152 | 4,142 | 28,574 |
| VIRGINIA | --- | 158 | 1,240 | 43 | 1 | 91 | 63 | 72 | 243 | --- | 191 | 2,102 |
| GEORGIA | --- | 1,207 | 33,656 | 139 | 124 | 17,189 | 3,104 | 4,786 | 24,391 | 315 | 6,824 | 91,735 |
| ALABAMA | --- | 50 | 645 | 9 | 1 | 59 | 35 | 28 | 370 | 7 | 102 | 1,306 |
| MISSISSIPPI | --- | 1,163 | 19,616 | 7 | 91 | 9,264 | 5,545 | 1,435 | 18,678 | 332 | 9,643 | 65,774 |
| ARKANSAS | --- | 130 | 2,166 | 93 | 103 | 172 | 74 | 108 | 957 | 16 | 197 | 4,016 |
| TEXAS | --- | 616 | 2,999 | 50 | 157 | 4,781 | 512 | 938 | 1,575 | 69 | 6,451 | 18,148 |
| WASHINGTON | --- | 139 | 3,256 | 3 | 1 | 967 | 136 | 58 | 186 | 2 | 782 | 5,530 |
| CALIFORNIA | --- | 346 | 15,461 | 15 | 60 | 12,132 | 567 | 298 | 1,455 | 133 | 3,106 | 33,573 |

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1971 AND 1972

| REGION AND STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED | | TOTAL POUNDS CERTIFIED | | POST-MORTEM CONDEMNATIONS | |
|------------------|------------------|--------|-------------------------------|---------|------------------------------|-------|------------------------|---------|---------------------------|-----------|
| | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 |
| | - THOUSANDS- | | -1,000 POUNDS- | | - POUNDS- | | -1,000 POUNDS- | | -1,000 POUNDS- | -PERCENT- |
| N. ATLANTIC | 342 | 271 | 6,044 | 5,045 | 17.67 | 18.62 | 4,750 | 4,002 | 89 | 76 |
| E. N. CENTRAL | 1,748 | 1,778 | 34,544 | 36,317 | 19.76 | 20.42 | 27,288 | 28,582 | 565 | 624 |
| W. N. CENTRAL | 5,379 | 5,579 | 106,464 | 110,741 | 19.79 | 19.85 | 84,572 | 87,459 | 2,492 | 2,682 |
| S. ATLANTIC | 1,883 | 2,023 | 36,441 | 39,554 | 19.35 | 19.55 | 28,310 | 31,105 | 1,233 | 1,112 |
| S. CENTRAL | 2,281 | 2,020 | 44,252 | 40,442 | 19.40 | 20.02 | 34,479 | 31,465 | 1,362 | 970 |
| WEST | 3,138 | 3,176 | 62,406 | 64,895 | 19.88 | 20.43 | 49,369 | 51,652 | 1,325 | 1,126 |
| U. S. | 14,771 | 14,847 | 290,151 | 296,994 | 19.64 | 20.00 | 228,768 | 234,265 | 7,066 | 6,590 |
| PENNSYLVANIA | 326 | 266 | 5,774 | 4,957 | 17.72 | 18.65 | 4,568 | 3,932 | 85 | 76 |
| OHIO | 522 | 540 | 10,271 | 11,347 | 19.67 | 21.02 | 7,998 | 8,976 | 144 | 217 |
| INDIANA | 623 | 662 | 11,649 | 12,855 | 18.69 | 19.42 | 9,178 | 10,100 | 248 | 255 |
| WISCONSIN | 435 | 406 | 8,471 | 7,928 | 19.45 | 19.51 | 6,818 | 6,185 | 115 | 98 |
| MINNESOTA | 2,591 | 2,736 | 49,964 | 51,426 | 19.29 | 18.80 | 39,783 | 41,111 | 1,091 | 1,107 |
| IOWA | 1,258 | 1,299 | 24,603 | 27,103 | 19.56 | 20.87 | 19,591 | 21,303 | 492 | 731 |
| MISSOURI | 1,202 | 1,244 | 25,144 | 26,217 | 20.92 | 21.03 | 19,820 | 20,354 | 746 | 709 |
| VIRGINIA | 593 | 689 | 11,185 | 13,016 | 18.86 | 18.89 | 8,559 | 10,014 | 389 | 365 |
| NORTH CAROLINA | 1,053 | 1,086 | 19,462 | 19,929 | 18.49 | 18.35 | 15,281 | 15,992 | 654 | 510 |
| ARKANSAS | 1,285 | 1,058 | 25,197 | 21,389 | 19.60 | 20.22 | 19,417 | 16,466 | 870 | 549 |
| TEXAS | 825 | 804 | 15,887 | 16,093 | 19.25 | 20.02 | 12,535 | 12,616 | 407 | 379 |
| COLORADO | 350 | 412 | 7,216 | 8,920 | 20.60 | 21.67 | 5,585 | 6,844 | 141 | 111 |
| UTAH | 660 | 644 | 15,294 | 14,821 | 23.17 | 23.02 | 12,155 | 11,842 | 375 | 299 |
| CALIFORNIA | 1,838 | 1,831 | 34,919 | 35,699 | 19.00 | 19.50 | 27,720 | 28,719 | 764 | 552 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1972

| REGION AND STATE | TUBERCULOSIS : NO. | LFU- : NO. | SEPTICEMIA : NO. | AIRSAC- : NO. | CULITIS : NO. | SYNO- : NO. | TUMORS : NO. | BRUISES : NO. | CADAVER : NO. | CONTAMINATION : NO. | OVER-SCALD : NO. | OTHER : NO. | TOTAL : NO. |
|------------------|--------------------|------------|------------------|---------------|---------------|-------------|--------------|---------------|---------------|---------------------|------------------|-------------|-------------|
| N. ATLANTIC | --- | 24 | 1,900 | 958 | --- | 329 | --- | 16 | 70 | 246 | 6 | 25 | 3,574 |
| E. N. CENTRAL | 1 | 22 | 12,225 | 6,819 | 7 | 1,886 | --- | 344 | 1,082 | 1,414 | 204 | 1,199 | 25,203 |
| W. N. CENTRAL | --- | 565 | 69,644 | 31,597 | 59 | 5,414 | 59 | 1,212 | 2,973 | 6,054 | 1,005 | 1,651 | 120,174 |
| S. ATLANTIC | --- | 249 | 18,119 | 13,917 | 25 | 895 | 25 | 842 | 1,594 | 3,219 | 179 | 4,964 | 44,003 |
| S. CENTRAL | --- | 265 | 19,468 | 11,830 | 34 | 5,150 | 34 | 446 | 683 | 2,393 | 161 | 978 | 41,408 |
| WEST | --- | 44 | 19,786 | 12,377 | 42 | 6,162 | 42 | 835 | 1,322 | 2,355 | 239 | 536 | 43,698 |
| U. S. | 1 | 1,169 | 141,142 | 77,498 | 167 | 19,836 | 167 | 3,695 | 7,724 | 15,681 | 1,794 | 9,353 | 278,060 |
| PENNSYLVANIA | --- | 22 | 1,895 | 955 | --- | 329 | --- | 16 | 69 | 245 | 6 | 16 | 3,553 |
| OHIO | 1 | --- | 3,863 | 2,256 | 4 | 303 | --- | 62 | 76 | 569 | 141 | 224 | 7,499 |
| INDIANA | --- | 1 | 4,649 | 3,675 | 1 | 899 | 1 | 146 | 499 | 708 | 45 | 757 | 11,380 |
| WISCONSIN | --- | 21 | 2,715 | 353 | 2 | 592 | 2 | 134 | 420 | 115 | 17 | 217 | 4,586 |
| MINNESOTA | --- | 540 | 32,810 | 10,243 | 11 | 2,059 | 11 | 451 | 2,043 | 3,168 | 617 | 347 | 52,289 |
| IOWA | --- | --- | 19,816 | 10,562 | 3 | 293 | 3 | 482 | 458 | 1,114 | 347 | 361 | 33,436 |
| MISSOURI | --- | 4 | 14,105 | 8,937 | 10 | 3,021 | 10 | 199 | 401 | 1,615 | 39 | 938 | 29,269 |
| VIRGINIA | --- | 11 | 9,822 | 4,383 | 2 | 469 | 2 | 337 | 691 | 489 | 66 | 255 | 16,525 |
| NORTH CAROLINA | --- | 123 | 6,123 | 6,285 | 18 | 307 | 18 | 395 | 827 | 2,339 | 59 | 4,239 | 20,715 |
| ARKANSAS | --- | 18 | 9,856 | 8,515 | 10 | 2,320 | 10 | 248 | 294 | 1,519 | 94 | 244 | 23,118 |
| TEXAS | --- | 241 | 8,578 | 3,003 | 22 | 2,812 | 22 | 172 | 278 | 635 | 63 | 726 | 16,530 |
| COLORADO | --- | 1 | 1,880 | 1,018 | --- | 147 | --- | 61 | 208 | 183 | 57 | 6 | 3,561 |
| UTAH | --- | 3 | 4,371 | 5,555 | 2 | 1,061 | 2 | 307 | 714 | 1,177 | 60 | 380 | 13,630 |
| CALIFORNIA | --- | 38 | 12,357 | 4,638 | 31 | 4,848 | 31 | 382 | 311 | 928 | 97 | 79 | 23,709 |

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1971 AND 1972

| REGION AND STATE | NUMBER INSPECTED | POUNDS | | AVERAGE LIVEWEIGHT | TOTAL POUNDS CERTIFIED | PDSI-MORTEM CONDEMNATIONS | |
|------------------|------------------|----------------|-------|--------------------|------------------------|---------------------------|------|
| | | 1971 | 1972 | | | 1971 | 1972 |
| | | -1,000 POUNDS- | | -POUNDS- | -1,000 POUNDS- | -PERCENT- | |
| N. ATLANTIC | 14 | 134 | 50 | 9.57 | 103 | 39 | 3.31 |
| E. N. CENTRAL | 7 | 62 | 103 | 9.22 | 50 | 4 | 0.76 |
| W. N. CENTRAL | 369 | 3,394 | 4,996 | 9.19 | 2,694 | 43 | 1.40 |
| S. ATLANTIC | 366 | 3,237 | 2,521 | 8.85 | 2,406 | 67 | 2.31 |
| S. CENTRAL | 1 | 11 | 237 | 10.11 | 9 | 5 | 3.33 |
| WEST | 164 | 1,465 | 855 | 8.96 | 1,147 | 24 | 1.81 |
| U. S. | 921 | 8,303 | 8,762 | 9.01 | 6,409 | 138 | 1.84 |
| MINNESOTA | 353 | 3,257 | 4,939 | 9.22 | 2,584 | 41 | 1.39 |
| VIRGINIA | 299 | 2,615 | 2,238 | 8.73 | 1,919 | 53 | 2.25 |
| CALIFORNIA | 143 | 1,302 | 754 | 9.13 | 1,016 | 23 | 1.94 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1972

| REGION AND STATE | TUBER- : NO. | LEU- : NO. | SEPTI- : NO. | AIRSAC- : NO. | SYNO- : NO. | VITIS : NO. | TUMORS : NO. | BRUISES : NO. | CADAVER : NO. | INAM- : NO. | CUNTAM- : NO. | OVER- : NO. | SCALD : NO. | OTHER : NO. | TOTAL : NO. |
|------------------|--------------|------------|--------------|---------------|-------------|-------------|--------------|---------------|---------------|-------------|---------------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | | | | |
| E. N. CENTRAL | --- | --- | 109 | 10 | --- | --- | --- | --- | --- | 4 | --- | --- | --- | --- | 404 |
| W. N. CENTRAL | --- | 133 | 5,182 | 1,060 | 320 | 78 | 252 | 897 | 47 | 162 | 4 | --- | --- | --- | 9,132 |
| S. ATLANTIC | --- | --- | 3,092 | 613 | 4 | 73 | 314 | 399 | 4 | 56 | --- | --- | --- | --- | 4,558 |
| S. CENTRAL | --- | --- | 244 | 9 | --- | 7 | 10 | 186 | --- | 1 | --- | --- | --- | --- | 457 |
| WEST | --- | --- | 775 | 152 | 122 | 12 | 7 | 248 | 2 | 11 | --- | --- | --- | --- | 1,332 |
| U. S. | --- | 133 | 9,443 | 1,850 | 627 | 178 | 587 | 1,831 | 53 | 230 | --- | --- | --- | --- | 14,939 |
| MINNESOTA | --- | 133 | 5,174 | 1,060 | 320 | 78 | 252 | 897 | 47 | 162 | 4 | --- | --- | --- | 8,124 |
| VIRGINIA | --- | --- | 2,968 | 574 | 3 | 53 | 310 | 299 | 4 | 30 | --- | --- | --- | --- | 4,242 |
| CALIFORNIA | --- | --- | 728 | 129 | 122 | 3 | 3 | 242 | 2 | 5 | --- | --- | --- | --- | 1,234 |

OLD TURKYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1971 AND 1972

| REGION AND STATE | NUMBER INSPECTED | | POUNDS INSPECTED | | AVERAGE LIVEWEIGHT | | TOTAL POUNDS CERTIFIED | | POST-MORTEM CONDEMNATIONS | |
|------------------|------------------|------|------------------|------|--------------------|-------|------------------------|------|---------------------------|------|
| | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 |
| | -THOUSANDS- | | -1,000 POUNDS- | | -POUNDS- | | -1,000 POUNDS- | | -PERCENT- | |
| N. ATLANTIC | 1 | 1 | 2 | 10 | 2.00 | 10.00 | 2 | 7 | --- | --- |
| E. N. CENTRAL | 3 | 4 | 65 | 69 | 19.12 | 18.66 | 51 | 54 | 2 | 2.70 |
| W. N. CENTRAL | 11 | 21 | 167 | 348 | 15.27 | 16.36 | 131 | 275 | 4 | 2.46 |
| S. ATLANTIC | 9 | 9 | 187 | 217 | 20.33 | 22.88 | 147 | 163 | 8 | 4.87 |
| S. CENTRAL | --- | 4 | 5 | 69 | 31.25 | 18.87 | 4 | 53 | --- | 2.32 |
| WEST | 23 | 8 | 398 | 162 | 17.28 | 19.08 | 311 | 127 | 6 | 1.89 |
| U. S. | 47 | 47 | 824 | 875 | 17.59 | 18.65 | 646 | 679 | 20 | 2.76 |
| MINNESOTA | 11 | 21 | 167 | 348 | 15.27 | 16.36 | 131 | 275 | 4 | 2.46 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1972

| REGION AND STATE | TUBER | | LEU | | SEPTI | | AIRSAC | | SYND | | VITIS | | TUMORS | | BRUISES | | CADAVER | | CONTAM | | OVER | | TOTAL | | |
|------------------|-------|-----|-----|-----|-------|-----|--------|-----|------|-----|-------|-----|--------|-----|---------|-----|---------|-----|--------|-----|------|-----|-------|-----|-----|
| | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | |
| N. ATLANTIC | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| E. N. CENTRAL | 1 | 36 | 32 | 1 | 1 | 4 | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| W. N. CENTRAL | --- | 242 | 144 | --- | 18 | 16 | 16 | 76 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 |
| S. ATLANTIC | 14 | 89 | 272 | 10 | 10 | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| S. CENTRAL | --- | 30 | 10 | --- | 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| WEST | --- | 140 | 13 | --- | 2 | 8 | 16 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | |
| U. S. | 25 | 537 | 472 | 21 | 32 | 30 | 93 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | 130 | |
| MINNESOTA | --- | 242 | 144 | --- | 18 | 16 | 76 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 | 72 |

UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE

AGR 101

FIRST-CLASS MAIL



Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * * *

The data presented in this report were compiled from reports collected by the Meat and Poultry Inspection Program, Animal and Plant Health Inspection Service.